

SENT BY: SMITH-HILL AND BEDELL;
TO: PTO CENTRAL FAX

503 574 3197;
AT: 17038729306

FEB-2-05 3:23PM;

PAGE 1

Smith-Hill and Bedell, P.C.

PATENT AND TRADEMARK LAWYERS

12670 NW Barnes Rd., Suite 104
Portland, Oregon 97229
Telephone: (503) 574-3100
Facsimile: (503) 574-3197

John Smith-Hill

Daniel J. Bedell

RECEIVED
CENTRAL FAX CENTER
FEB 02 2005

FACSIMILE COVER SHEET

To: Michael H. Thaler
Art Unit 3731

From: John Smith-Hill

Firm: US PATENT AND
TRADEMARK OFFICE

Date: February 2, 2005

Fax: 1-703-872-9306

Our ref: SWIN 2012

Your ref: 09/514,759

Pages: Cover + 10

BEST AVAILABLE COPY

BY: SMITH-HILL AND BEDELL;

503 574 3197;

FEB-2-05 3:23PM;

PAGE 1

PAGE 1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of
John Vivian WOOD et al
Application No: 09/514,759

Filed: February 28, 2000

For: A BIOCOMPATIBLE GRIPPING DEVICE

Art Unit: 3731

Examiner:
Michael H. Thaler

REPLY TO THE OFFICE ACTION MAILED 09/14/2004

COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

Sir:

Further examination and consideration of this application are
requested in view of the following Amendments and Remarks.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS

☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

☐ FADED TEXT OR DRAWING

☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING

☐ SKEWED/SLANTED IMAGES

☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS

☐ GRAY SCALE DOCUMENTS

☒ LINES OR MARKS ON ORIGINAL DOCUMENT

☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.